

## THE SMARTER WAY TO GET WORK DONE

**ELECTRIC COUNTERBALANCED LIFT TRUCK** 

**EP-CB Series** 

Capacity: 1.0 Ton to 3.5 Tons




## SMARTER. SAFER. FA THIS IS HOW GREAT WORK IS ACCO

## **Get More Done, Indoors and Outside**

In your line of work, efficiency and safety are essential. The Cat® EP-CB series of lift trucks are designed to be your partner in productivity, and come with smart features that make these machines a breeze to work with.



 Safer Workflows: Improve safety in the warehouse with a load indicator, travel hydraulic interlocking system, overweight warnings and optional LED/spot lights.




- Smooth, Stable Rides: ①Stay in control with intelligent pitching control, ② Automated speed reduction during turns, ③Travel speed limiters and more.
- Rugged Reliability: Powered by an AC motor and protected with IPX4 waterproofing, the EP-CB forklift is your reliable workhorse in a dry warehouse, cold store or rainy outdoors
- Built for Productivity: Boost your operators' productivity levels with intuitive fingertip controls
  personalised operation modes, an interactive display and other features



## TOGETHER,


## WE'LL GET MORE WORK DONE

It's no secret that the less time you spend on a task, the more you can accomplish – each and every day. The EP-CB series is designed with your productivity in mind. We've built these lift trucks with all the newest features you expect to see in modern lift trucks, and included brand-new, productivity-boosting innovations that will speed up your workflow – because the best workers, deserve the very best machines.



#### Customised for Every Individual

Encourage your operators to work at their best, by allowing them to personalise every detail of their lift trucks operation – from travel and hydraulic speeds to acceleration, response speed and much more. Finally, a lift truck that customises itself to fit your operators' strengths and working styles – and not the other way around.



#### **✓** Auto Torque Up

Climb slopes and carry heavy loads with ease. The EP-CB's built-in intelligence detects when additional power is needed and automatically increases torque to ensure smooth, stress-free driving at all times.




## ✓ Interactive Display

The EP-CB uses a single display to take over the role of multiple displays. Now, everything your operators need to view is shown in a high quality, easy-to-read display that's also interactive. This allows operators to not only see more, but also do more – such as adjust control function settings on-the-fly.



## Fingertip Control (optional)

Enable operators to take precise, efficient control of their lift trucks. Fingertip control allows operators to control hydraulics with a never-seen-before level of precision that levers simply cannot match – enabling them to work faster, more accurately and more safely.



## **►** Easy Battery Exchange (optional)

Keep your fleet of lift trucks running around the clock with the ability to side load a freshly charged battery within minutes. Using either "roll in, roll out" or "fork in, fork out" methods to replace your lift trucks battery, you can significantly reduce downtime and improve productivity.

## **MORE PRODUCTIVITY -**

## **FOCUSED FEATURES**

Even more ways the EP-CB enables you to get more done, every day:





· A rear hand grip with horn: Looking behind while reversing is now easier and safer than ever.



• LED lights: Bright, long-lasting lights illuminate the truck and surrounding areas, allowing operators to work more efficiently, while remaining safe.



• Easy entry and exit: A low step height, wide operator compartment and large operator head room make this one of the most comfortable lift trucks to operate, ever.

## **Optional Add-Ons to Improve Productivity**

- Protection: 1) Front windshield
  - 2 Acrylic roof
  - Rear windshield



- Application :
  - 1 Side shifters
  - 2 Fork positioners
  - 3 Rotating forks
  - Clamps



- Environment :
  - 1 Cold store option
  - Rust proof
  - Dust proof



## LET'S KEEP YOU SAFE

We take safety and well-being of your operators very seriously, and have built the EP-CB series of lift trucks with both safety and efficiency in mind. These are some of the safety-related innovations you will find in our lift trucks:

#### ✓ A Smooth, Stable Ride

Enjoy a stable ride, all day long. The EP-CB's low centre of gravity and electronic pitching control deliver a ride so stable and comfortable, it's almost like driving a car. Even on bumpy roads, pitching control reduces mast shaking and overall wobbles. A wide field of view ensures operators retain awareness of their surroundings at all times.



# Mast Lock Lift/Lower Lock

## **✓ Eliminate Complacency**

Human error is reduced too, as the EP-CB's smart travel hydraulic interlock prevents operators from activating the mast or moving until they're properly seated. Once operators are done with their shift and ready to get off, an intuitive parking brake warning goes off if the parking brakes are not engaged.

## 

Other safety features that operators will appreciate include an easily accessible and unobstructed emergency stop button, a highly visible orange seatbelt, and optional password system that restricts the access and operation of the EP-CB to authorised personnel.





## ✓ Intelligent Load Indicators and Limits (Option)

A load indicator\* gives operators a general idea of the loads they're carrying. The EP-CB also intelligently reduces its travel speed according to its current load weight and lift weight, and further reduces its speed while turning. And if it's carrying too much, an overweight warning is set off.

<sup>\*</sup>The load indicator feature should only be used as an estimation of the load being carried, and should not be used as the true value of a load's actual weight.

## **Optional Add-Ons to Improve Safety**




#### **∠** Laser Pointer :

Improve operator precision with laser guidance



Level forks and loads with one button press



With Option





**✓ Low Vibration Option :**

An anti-shake system that reduces hydraulic movement and bouncing, protecting sensitive goods

✓ Speed Control :

Travel speed limit (according to lift height, lift and tilt speed control





Lights:

Rear LED light, blue spot light, LED rotating lamp

**✓** Authorisation :

Password entry



## A RUGGED, RELIABLE PARTNER

Warehouse work can be tough, and you need a machine you can rely on, through good times and bad. We've designed the EP-CB to be a tough, reliable performer that gives operators more performance – with much less hassle and maintenance.

## ✓ Better Efficiency with an AC Motor



A high-quality AC motor drives the EP-CB, delivering smooth rides, faster acceleration and greater responsiveness – while optimising the lifespan of your lift trucks battery and keeping maintenance requirements low.

#### ✓ IPX4 Waterproofing



Whether in a warehouse or in the rain, you can count on the EP-CB to keep running reliably, thanks to IPX4 waterproofing.

## ✓ Battery Protection (optional)



To protect your battery's lifespan, the EP-CB proactively limits its lift and travel speed – reminding operators to charge (or swop) the battery.

### IF YOUR WAREHOUSE NEVER SLEEPS, NEITHER SHOULD YOUR MACHINES

Experience the joy of operating one of the most energy-efficient lift trucks available. The EP-CB's low energy usage translates into lower operating costs, longer battery life, more operating hours and less downtime. You have a warehouse to run, and your lift trucks will support you all the way.



#### **ECO Mode**

Extend the operating hours of your lift trucks with a simple press of the ECO mode button, which switches the truck into energy-saving mode.

#### Auto Power Off

No operator? No problem. The EP-CB automatically shuts off after 15 minutes of inactivity – conserving battery life for actual warehouse operations, and not while it's on standby.







#### ✓ Go Longer with Regeneration

Innovative technology in the EP-CB translates movements such as coasting, plugging, downhill travel, braking, speed suppression and controlled rollbacks into kinetic energy that charges the truck's battery as it's being used – extending operating time.



Cat Lift Trucks is committed to providing industry-leading customer service, delivered by experienced and reliable material handling dealers. Cat Lift Trucks puts its customer's needs first, with one of the most comprehensive customer support programs in the business.

#### **Dealers You can Depend On**

Cat lift trucks dealers are unsurpassed, delivering superior customer service that sets us apart from the competition before, during and after the sale.

Our dealers make available leading support programs with every new Cat lift truck you purchase, including:

- Genuine Cat lift truck OEM parts
- Planned Maintenance
- Rental fleet availability
- · Convenient dealer branch locations

#### **Planned Maintenance**


Proper maintenance of your truck helps assure top performance over the long haul and helps extend truck longevity. That's why every Cat lift truck is backed by experienced and reliable dealers who make sure your truck is properly maintained

With Cat lift truck planned maintenance, you won't have to worry about scheduling maintenance or unexpected downtime. Regular planned maintenance calls are scheduled in advance to avoid interference with your operating schedules. Experienced Cat lift trucks service technicians will regularly perform all periodic maintenance including fluid and lubricant check for a predeter-mined rate. We'll even identify and fix potential problems before they become major difficulties.

## **Specifications**


		N.	■ Kalingia Electrica			1992/94	Standard Type					Long Wheelbase Type	
Туре		Item		Summary		Unit	EP10CB	EP15CB	EP18CB	EP20CB	EP25CB	EP20LCB	EP25LCB
	1.1	Capacity at rated load center				kg	1000	1500	1750	2000	2500	2000	2500
	1.2	Load center – distance				mm	500	500	500	500	500	500	500
Dimensions	2.1	Height to top of overhead guard	f overhead guard		h <sub>6</sub>	mm	2110	2110	2110	2110	2110	2110	2110
	2.2	Height with mast lowered			hı	mm	1990	1990	1990	1995	1995	1995	1995
	2.3	Lift height			hз	mm	3000	3000	3000	3000	3000	3000	3000
	2.4	Overall height with mast raised			h4	mm	4055	4055	4055	4055	4055	4055	4055
	2.5	Free lift			h <sub>2</sub>	mm	115	115	115	140	140	140	140
	2.6	Tilt	forward		x		7	7	7	7	7	7	7
			backward		β	:•:	11	11	11	11	11	11	11
	2.7	Ground clearance	Under Mast		mı	mm	110	110	110	115	115	115	115
			Center of wheelbase		m <sub>2</sub>	mm	110	110	110	110	110	110	110
	2.8	Front overhang			F	mm	395	395	395	445	445	445	445
	2.9	Rear overhang			С	mm	275	275	315	340	380	340	340
	2.10	Overall length			Lı	mm	3150	3150	3190	3375	3415	3535	3535
	2.11	Length to fork face (includes fork thickness)	(ss)		L2	mm	2080	2080	2120	2305	2345	2465	2465
	2.12	Wheelbase			L3	mm	1410	1410	1410	1520	1520	1680	1680
	2.13	Minimum outside turning radius			R	mm	1850	1850	1880	2030	2080	2215	2215
		Tread	Front Single tire		B5	mm	930	930	925	955	955	955	955
	2.14		Rear		B6	mm	900	900	900	965	965	965	965
	2.16	Overall width	Single		В	mm	1100	1100	1115	1155	1155	1155	1155
	2.17	Fork spread – out-to-out	Maximum		В3	mm	920	920	920	995	995	995	995
			Minimum		B4	mm	240	240	240	260	260	260	260
			Width		w	mm	100	100	100	122	122	122	122
	2.18	2.18 Forks		Thickness		mm	35	35	35	40	40	40	40
			Length		L	mm	1070	1070	1070	1070	1070	1070	1070
Performance	SHOW!	Travel speed	Laden	Pneumatic		km/h	14.0	14.0	13.5	14.0	14.0	14.0	14.0
	3.1		Unladen	Pneumatic		km/h	16.0	16.0	15.5	16.0	16.0	16.0	16.0
	121.21		Laden			mm/s	390	350	330	290	260	290	260
	3.2	Lift speed	Unladen			mm/s	540	540	540	470	470	470	470
	3.3	Maximum gradeability- laden (3 min. ratin	ig, 1.5km/h and over)			%	22	19	17	19	16	18	16
	3.4	Maximum gradeability- unladen (3 min. rating, 1.5km/h and over)				%	25.0	25.0	24.0	22.5	20.0	20.5	20.5
Mass	4.1	Service Weight without Battery	Weight without Battery			kg	2060	2190	2420	2895	3270	2965	2965
	4.2	Battery Weight	Minimum			kg	570	600	600	715	810	1025	1025
			Maximum			kg	875	910	910	1025	1025	1360	1360
Chassis	5.1	Tire size	Front	Pneumatic Single			6.00-9	10PR	21x8-9 14PR		21x8-	9 16PR	2
			Rear	Pneumatic				5.00-8 8PR			18x7-	8 14PR	
		Miscellaneous	Steering type				Full Hydraulic Power Steering						
	5.2		Service brakes				Hydraulic						
			Parking brakes							1	Mechanical	200	
Electrical			The contract of the contract o					Hand-operated			1		
	5550000	Motor	Drive motor (60 min. rating)			kW	7.0	7.0	7.0	8.5	8.5	8.5	8.5
	6.1		Lift motor (10 min. rating)			kW	9.5	9.5	9.5	11.5	11.5	11.5	11.5
		195570 0070 to 100 00020 50 1000 00	Steering motor (60 min. rating)			kW	1.5				1.5		
	6.2	Drive / Hydraulic / Steering Control						AC Inverter					
	6.3	Battery	STD			V/Ah(5HR)	48/370	IS NOT THE PROPERTY OF			48/725	48/725	
	6.4	Charger (3 phase 400/200V)	Туре					Automatic Station		I			
		20 00	STD			kVA	6.5	6.5	6.5	8.1	8.1	11.0	11.0

## **Diagrams**



12.0

12.0







© 2019 Caterpillar. All Rights Reserved. CAT, CATERPILLAR, LET'S DO THE WORK, their respective logos, "Caterpillar Yellow", the "Power Edge" and Cat "Modern Hex" trade dress as well as corporate and product identity used herein, are trademarks of Caterpillar and may not be used without permission.

